

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33323	(message or data or packet \$1) near3 integrity	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:28
L2	0	l1 with generate with (fragment near (number\$1 or value\$1 or parameter\$1 or field\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:29
L3	1	l1 with generat\$3 with (fragment near (number\$1 or value\$1 or parameter\$1 or field\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:29
L4	31156	(message or data or packet \$1) near2 integrity	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:30
L5	1946	l1 with generat\$3	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:30
L6	1141	fragment adj (number\$1 or value\$1 or parameter\$1 or field\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:31
L7	2	l5 and l6	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:31
L8	41853	(message or data or packet \$1) with integrity	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:32
L9	3413	(message or data or packet \$1) with integrity with (generat\$3 or calculat\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:32
L10	3	l9 and l6	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:33
L11	1	("2004/0233878").URPN.	USPAT	OR	OFF	2008/04/09 14:35
L12	4473	fragment near2 (number\$1 or value\$1 or parameter\$1 or field\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:39
L13	26	l9 and l12	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:39
L14	7732	packet adj (number\$1 or value\$1 or parameter\$1 or field\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:44
L15	94	l9 and l14	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:44
L16	62	integrity with fragment with sequence	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:58
L17	8	l8 and l16	US-PGPUB; USPAT	OR	OFF	2008/04/09 14:59

L18	2	integrity with (fragment adj number\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:00
L19	2	integrity with (fragment adj (number\$1 or value\$1 or parameter\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:01
L20	17	integrity with l14	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:02
L21	8356	packet with sequence with number\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:05
L22	142	l9 and l21	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:05
L23	1037	packet with sequence with number\$1 with generat\$3	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:06
L24	39	l22 and l23	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:06
L25	8	encrypt\$3 with (fragment adj (number\$1 or value\$1 or parameter\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:14
L26	11	encrypt\$3 with (fragment adj2 (number\$1 or value\$1 or parameter\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:15
L27	178	encrypt\$3 with (packet adj2 (number\$1 or value\$1 or parameter\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:16
L28	11	encrypt\$3 with (fragment adj2 (number\$1 or value\$1 or parameter\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:24
L29	22	encrypt\$3 with (packet adj3 fragment\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:24
L30	7709	(message or data or packet \$1) near3 fragment\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:46
L31	33323	(message or data or packet \$1) near3 integrity	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:46
L32	1141	fragment adj (number\$1 or value\$1 or parameter\$1 or field\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:47
L33	2516	((message or data or packet\$1) near3 integrity) with (generat\$3 or calculat \$3)	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:48
L34	2	l30 and l32 and l33	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:49
L35	74	l30 and l33	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:50
L36	342	integrity with header with packet	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:56
L37	376	integrity with header with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:56

L38	186	encrypt with header with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:56
L39	9	l37 and l38	US-PGPUB; USPAT	OR	OFF	2008/04/09 15:56
L40	1193	(confidential\$3 near3 authentication)	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:51
L41	269	encrypt\$3 with l40	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:52
L42	2	encrypt\$3 with l40 with CCM	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:52
L43	1	encrypt\$3 with l40 with aes	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:53
L44	386	authentication with aes	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:53
L45	2161	advanced near encryption near standard	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:54
L46	213	l45 and l44	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:54
L47	1	authenticated near2 encryption near process	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:58
L48	1	"6963976".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:58
L49	8	(message near authentication near code).ti.	US-PGPUB; USPAT	OR	OFF	2008/04/09 17:22
S1	77866	(message near (authentication or integrity) near code\$1) or MIC or MAC	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:14
S2	2930	(pad\$4 or suppress\$3) with (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:20
S3	31108	frame near (number\$1 or value\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:21
S4	42	S1 and S2 and S3	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:21
S5	35021	"802.11"\$1	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:22
S6	2	S1 and S2 and S3 and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:22
S7	1061848	frame	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:24
S8	4875	(zeros or zeroes) with (sn or sequence)	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:24
S9	27	S1 and S5 and S7 and S8	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:25

S10	2121	(zero\$2) with (sequence near (number\$1 or value \$1))	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:41
S11	116	(S2 or S10) and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:41
S12	52	(S2 or S10) and S5 and S1	US-PGPUB; USPAT	OR	OFF	2008/04/06 16:41
S13	3574	(pad\$4 or suppress\$3 or mask\$3) with (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:20
S14	71	S5 and S13	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:20
S15	153547	(SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:39
S16	1233	S1 and S15 and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:39
S17	20	S1 and S15 and S5 and S8	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:40
S18	998	S1 with S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:42
S19	212	S18 and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:43
S20	1808	fragment near (number\$1 or value\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:46
S21	38	S18 and S5 and S20	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:46
S22	38	S18 and S5 and S20 and S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 17:57
S23	3434	(pad\$4 or mask\$3) with ((message near integrity near code\$1) or MIC\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:01
S24	58	(pad\$4 or mask\$3) with ((message near integrity near code\$1) or MIC\$1) and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:02
S25	4	(pad\$4 or mask\$3) with ((message near integrity near code) or MIC) and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:03
S26	166	(pad\$4 or mask\$3) with ((message near integrity near code) or MIC)	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:03
S27	594	"802.11i"	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:17
S28	67	S27 and S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:17
S29	28	ccmp and S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:20

S30	19	S26 and S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:34
S31	18189	((message near integrity near code) or MIC)	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:35
S32	980	S31 and S15	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:35
S33	4	S31 and S15 and S20	US-PGPUB; USPAT	OR	OFF	2008/04/06 18:36
S34	11	S31 and S15 and ccmp	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:01
S35	9	S31 and sequence and fragment and S5	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:44
S36	2120	S31 and sequence and fragment	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:46
S37	235890	(SN or (sequence near2 (number\$1 or value\$1 or code\$1 or field\$1 or parameter\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:47
S38	24017	(FN or (fragment near2 (number\$1 or value\$1 or code\$1 or field\$1 or parameter\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:48
S39	3	S31 and S37 and S38 and msdu	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:49
S40	144	S31 and S37 and S38	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:49
S41	18	S31 and S37 and S38 and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:50
S42	364	integrity and S37 and S38 and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:53
S43	199	((data or message) with integrity) and S37 and S38 and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:54
S44	40970	((data or message) with integrity)	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:56
S45	198	(S44 with (S37 or S38)) and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/06 19:56
S46	724	(packet near number) and (replay attack\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 20:44
S47	179	(sequen\$5 with (packet near number)) and (replay attack\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 20:44
S48	16	S5 and (sequen\$5 with (packet near number)) and (replay attack\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 20:45
S49	2	S5 and (sequen\$5 with (packet near number)) and (replay near attack\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 20:45

S50	15	(sequen\$5 with (packet near number)) and (replay near attack\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/06 20:46
S51	1	"6831921".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:32
S52	1	"6847654".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/07 10:48
S53	153547	(SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:46
S54	1139	S53 and association and station and ap	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:46
S55	35021	"802.11"\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:47
S56	291	S53 and association and station and ap and S55	US-PGPUB; USPAT	OR	OFF	2008/04/07 11:47
S57	0	sequence with gap with authenticate with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:48
S58	33	sequence\$1 with gap\$1 with (integrity or authenticat\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:48
S59	182	sequence with integrity with packet	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:52
S60	242	sequence with integrity with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:53
S61	4348	discard near3 packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:53
S62	34	S60 and S61	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:53
S63	0	(complete near2 sequence) with integrity with packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:54
S64	0	(full near2 sequence) with integrity with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:54
S65	3	complete with sequence with integrity with packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:55
S66	242	sequence with integrity with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:57
S67	34	S66 and S61	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:57
S68	0	(discard near3 packet\$1) with gap\$1 with sequence \$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:59
S69	379	packet\$1 with gap\$1 with sequence\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 13:59
S70	3666	sequence with integrity	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:00

S71	6	S69 and S70	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:00
S72	298	packet\$1 with authenticat \$3 with sequence	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:03
S73	317	packet\$1 with authenticat \$3 with sequenc\$3	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:04
S74	24	S69 and S73	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:04
S75	66	(check\$3 or determin\$3) with gap\$1 with sequence \$1 with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:09
S76	9975	(integrity or authenticat\$3) with (packet\$1 or fragment \$1)	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:10
S77	5	S76 and S75	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:10
S78	844	fragment\$1 with sequence with gap\$1	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:13
S79	114947	(discard\$3 or drop\$4 or reject\$3) with (message\$1 or data or packet\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:14
S80	27	S78 and S79	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:14
S81	35	sequence with gap with (discard\$3 or reject\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:20
S82	67	sequence with gap\$1 with (discard\$3 or reject\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/07 14:21
S83	18217	((message near integrity near code\$1) or MIC)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:32
S84	5342	(pad\$4 or suppress\$3 or mask\$3 or fill\$3) with (SN or (sequence near (number \$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:33
S85	63	S84 and S83	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:34
S86	15923	((message near integrity near code\$1) or MIC) not microphone\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:36
S87	23	S86 and S84	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:36
S88	48336	(pad\$4 or suppress\$3 or mask\$3 or fill\$3) with (SN or sequence)	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:37
S89	220	S88 and S86	US-PGPUB; USPAT	OR	OFF	2008/04/08 10:37
S90	32605	(message or data) near3 integrity	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:49

S91	1911	S90 with generat\$3	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:49
S92	3575	(pad\$4 or suppress\$3 or mask\$3) with (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:50
S93	14	S91 and S92	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:50
S94	28737	(pad\$4 or suppress\$3 or mask\$3) with sequence	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:52
S95	38	S91 and S94	US-PGPUB; USPAT	OR	OFF	2008/04/08 18:52
S96	153675	(SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:01
S97	362	S91 and S96	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:01
S98	196	S91 and S96 and timing	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:02
S99	1	S91 and S96 and (timing near sequence)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:02
S100	103	S91 and S96 and (pad\$4 or suppress\$3 or mask\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:03
S101	72	S92 and S90	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:07
S102	175	(pad\$4 or suppress\$3 or mask\$3) with (SN or (sequence near (number\$1 or value\$1))) with packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:16
S103	124941	(message or data) near3 packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:16
S105	793822	(generat\$3 or transform\$3 or function or hash\$3 or compress\$3 or decompress \$3) with (message\$1 or data)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:17
S107	145	S102 and S103 and S105	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:19
S108	145	S102 and S103 and S105 and (transmi\$5 or send\$3)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:20
S109	196449	(transform\$3 or hash\$3 or compress\$3 or decompress \$3) with (message\$1 or data)	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:22
S110	47	S102 and S103 and S109	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:22
S111	1019	(omit\$4 or leav\$3) with (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:34

S113	15	S111 and S90	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:35
S114	136	(latency) with (SN or (sequence near (number\$1 or value\$1))))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:39
S115	1	S114 and S91	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:39
S116	8	S114 and S90	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:40
S117	484779	(message or data) near3 transmi\$5	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:42
S118	102	S114 and S117	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:42
S119	2087	(problem\$1) with (SN or (sequence near (number\$1 or value\$1))))	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:46
S120	3	S119 and S91	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:46
S121	117230	(message or data) near2 packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:49
S122	300	S119 and S121	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:49
S123	8	S119 and S121 and S92	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:50
S124	610534	(message\$1 or data or packet\$1) with transmi\$5	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:58
S125	295	S122 and S124	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:58
S126	6	S119 and S121 and S111	US-PGPUB; USPAT	OR	OFF	2008/04/08 19:59
S127	6382	(pad\$4 or suppress\$3 or mask\$3 or zero\$2) with (SN or (sequence near (number\$1 or value\$1))))	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:23
S128	473	S119 and S127	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:24
S129	344	S119 and S92	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:25
S130	70	S119 and S127 and packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:25
S131	13	S119 and S92 and packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:26
S132	3719	(pad\$4 or suppress\$3 or mask\$3) with (SN or (sequence near (number\$1 or value\$1 or field\$1 or parameter\$1 or variable\$1 or attribute\$1))))	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:30

S133	13	S119 and S132 and packet \$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:31
S134	2160	(problem\$1) with (SN or (sequence near (number\$1 or value\$1 or parameter\$1 or field\$1 or variable\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:32
S135	42	S134 and "802.11"\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:32
S136	2033	(problem\$1) with (SN or (sequence adj (number\$1 or value\$1 or parameter\$1 or field\$1 or variable\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:34
S137	40	S136 and "802.11"\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:34
S138	8678	generat\$3 with integrity	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:51
S139	19	S138 and S136	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:52
S140	374	packet\$1 and S136	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:57
S141	71	packet\$1 and S136 and S127	US-PGPUB; USPAT	OR	OFF	2008/04/08 20:58
S142	15	(latency or timing) with (problem\$1) with (SN or (sequence adj (number\$1 or value\$1 or parameter\$1 or field\$1 or variable\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:03
S143	1797	(latency or timing) with (SN or (sequence adj (number\$1 or value\$1 or parameter\$1 or field\$1 or variable\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:08
S144	18	((latency or timing) with problem) same (SN or (sequence adj (number\$1 or value\$1 or parameter\$1 or field\$1 or variable\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:09
S145	25399	((latency or timing) with problem\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:13
S147	12409	station\$1 with (association \$1 or handoff\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:14
S148	167	S147 and S145	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:14
S149	224117	(pad\$4 or suppress\$3 or mask\$3) with (number\$1 or value\$1 or parameter\$1 or field\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:15
S150	20	S147 and S145 and S149	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:15

S151	588	(pad\$4 or suppress\$3 or mask\$3) near2 (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:38
S152	206	(pad\$4 or suppress\$3 or mask\$3) near (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:38
S153	37	S152 and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:38
S154	57	(omit\$4) near (SN or (sequence near (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:45
S155	3	S154 and integrity	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:45
S156	7	S154 and (integrity or CRC)	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:45
S157	67	S151 and packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:51
S158	30	S157 not S153	US-PGPUB; USPAT	OR	OFF	2008/04/08 21:51
S159	8851	encrypt\$3 with packet\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:05
S160	7551	(pad\$4 or suppress\$3 or mask\$3) with (number\$1 or value\$1 or field\$1 or parameter\$1 or attribute \$1) with (frame or header \$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:06
S161	4589	timing near problem\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:06
S162	0	S159 and S160 and S161	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:07
S163	277	S159 and S160	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:07
S164	123	S159 and S160 and timing	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:07
S165	3249	(padded or padding or suppress\$3 or masked or masking) with (number\$1 or value\$1 or field\$1 or parameter\$1 or attribute \$1) with (frame or header \$1)	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:10
S166	171	S159 and S165	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:10
S167	73	S159 and S165 and timing	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:10

S168	35242	(timing or bandwidth) with problem\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 11:49
S169	0	ccm\$1 with mut\$3 with field \$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:05
S170	1	mic with mut\$3 with field \$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:05
S171	13	integrity with mut\$3 with field\$1	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:05
S172	50	ccm\$1 with mut\$3	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:15
S173	295	mic with mut\$3	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:16
S174	5573	message with integrity	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:16
S175	4	S173 and S174	US-PGPUB; USPAT	OR	OFF	2008/04/09 12:16

4/ 9/ 2008 6:39:02 PM

C:\ Documents and Settings\ msanjuan\ My Documents\ EAST\ Workspaces\ 10718889.wsp